



Allegheny County Health Department

Food Safety Program

2121 Noblestown Rd, Suite #210,
Pittsburgh, PA 15205

Phone: 412-578-8044 Fax: 412-578-8190

Food Safety Assessment Report

Client ID: 201809180002 **Client Name:** Pitt Dining / The Bridge Market
Address: 3810 Forbes Avenue **Inspection Date:** 09/17/2018
City: Pittsburgh **State:** PA **Zip:** 15213 **Purpose:** New Facility
Municipality: Pittsburgh-104 **Inspector:** Castello, Katherine **Permit Exp. Date:** 09/30/2019
Category Code: 413-Hospital, Gov, University (limited) **Priority Code:** 1
Re-Inspection: No - Inspector **Re-Inspection Date:** **Class:**

Food Safety Assessment Categories		Assessment Status					Violation Risk		
	◆	S	NO	NA	V		High	Med.	Low
1 Food Source/Condition									
2 Cooking Temperatures #									
3 Consumer Advisory									
4 Reheating Temperatures #									
5 Cooling Food #									
6 Hot Holding Temperatures #									
7 Cold Holding Temperatures #									
8 Facilities to Maintain Temperature									
9 Date Marking of Food									
10 Probe-Type Thermometers									
11 Cross-Contamination Prevention #									
12 Employee Health #									
13 Employee Personal Hygiene #									
14 Cleaning and Sanitization #									
15 Water Supply									
16 Waste Water Disposal									
17 Plumbing									
18 Handwashing Facilities									
19 Pest Management #									
20 Toxic Items									
21 Certified Food Protection Manager									
22 Demonstration of Knowledge									
23 Contamination Prevention - Food, Utensils and Equipment									
24 Fabrication, Design, Installation and Maintenance									
25 Toilet Room									
		0	0	0	0	0	0	0	0

General Sanitation		Assessment Status					Violation Risk		
	◆	S	NO	NA	V		High	Med.	Low
26 Garbage and Refuse									
27 Floors									
28 Walls and ceilings					x				x
29 Lighting									
30 Ventilation									
31 Dressing rooms and Locker rooms									
32 General Premises									
33 Administrative					x				
		0	0	0	0	2	0	0	1
		Assessment Status					Violation Risk		
	◆	S	NO	NA	V		High	Med.	Low



Allegheny County Health Department

Food Safety Program

2121 Noblestown Rd, Suite #210,
Pittsburgh, PA 15205

Phone: 412-578-8044 Fax: 412-578-8190

Food Safety Assessment Report

1	Indoor Occupancy 25% or 50% with proof of satisfying PA Self-ce								
1	Indoor occupancy (25%) #								
2	Table Service Only and Tables 6-Feet Apart #								
3	Closed bar seating #								
4	Face coverings Worn by staff #								
5	Table service only #								
6	Zero tobacco usage #								
7	Closed by 11:00 pm #								
		0	0	0	0	0	0	0	0
	# U.S. Centers for Disease Control and Prevention "high risk" for foodborne illness and establishment of priority of inspection	0	0	0	0	2			

◆ - Diamond Exceptional

S - Satisfactory

NO - Not Observed

NA - Not Applicable

V- Violation

Inspection Details

Inspector Name: Castello, Katherine

Balance Amount: \$0.00

Placarding: Inspected & Permitted

Contact:

Start Time: 11:00:00 AM

End Time: 11:50:00 AM

Phone: (412) 225-6381

Violation:

28 Walls and ceilings

Comments:

LOW RISK

-There are missing ceiling tiles.

Food Code Section(s): 321

Corrective Action: Repair or replace

Violation:

33 Administrative

Comments:

Failure to submit plans for facility.

Failure to provide 10 day notice for inspection.

Food Code Section(s): 330 ; 334

Corrective Action: Construction plans not submitted

Corrective Action: Construction plans not approved prior to construction

Corrective Action: Failure to provide 10-day notice for pre-operational inspection

Other Assessment observations and comments:

18 Handwashing Facilities

Sign provided at inspection.

19 Pest Management

Monitor for pest activity.

Exceptional Observations: