



Allegheny County Health Department

Food Safety Program

3901 Penn Ave,
Pittsburgh, PA 15224

Phone: 412-578-8044 Fax: 412-578-8190

Food Safety Assessment Report

Client ID: 201809180002	Client Name: Pitt Dining / The Bridge Market
Address: 3810 Forbes Avenue	Inspection Date: 09/17/2018
City: Pittsburgh	State: PA Zip: 15213
Municipality: Pittsburgh-104	Inspector: Castello, Katherine
Category Code: 413-Hospital, Gov, University (limited)	Purpose: New Facility
Re-Inspection: No - Inspector	Permit Exp. Date: 09/30/2019
Re-Inspection Date:	Priority Code: 1

Food Safety Assessment Categories	Assessment Status					Violation Risk		
	◆	S	NO	NA	V	High	Med.	Low
1 Food Source/Condition								
2 Cooking Temperatures #								
3 Consumer Advisory								
4 Reheating Temperatures #								
5 Cooling Food #								
6 Hot Holding Temperatures #								
7 Cold Holding Temperatures #								
8 Facilities to Maintain Temperature								
9 Date Marking of Food								
10 Probe-Type Thermometers								
11 Cross-Contamination Prevention #								
12 Employee Health #								
13 Employee Personal Hygiene #								
14 Cleaning and Sanitization #								
15 Water Supply								
16 Waste Water Disposal								
17 Plumbing								
18 Handwashing Facilities								
19 Pest Management #								
20 Toxic Items								
21 Certified Food Protection Manager								
22 Demonstration of Knowledge								
23 Contamination Prevention - Food, Utensils and Equipment								
24 Fabrication, Design, Installation and Maintenance								
25 Toilet Room								
	0	0	0	0	0	0	0	0

General Sanitation	Assessment Status					Violation Risk		
	◆	S	NO	NA	V	High	Med.	Low
26 Garbage and Refuse								
27 Floors								
28 Walls and ceilings					x			x
29 Lighting								
30 Ventilation								
31 Dressing rooms and Locker rooms								
32 General Premises								
33 Administrative					x			
	0	0	0	0	2	0	0	1
# U.S. Centers for Disease Control and Prevention "high risk" for	0	0	0	0	2			

◆ - Diamond Exceptional

S - Satisfactory NO - Not Observed NA - Not Applicable V- Violation



Allegheny County Health Department

Food Safety Program

3901 Penn Ave,

Pittsburgh, PA 15224

Phone: 412-578-8044 Fax: 412-578-8190

Food Safety Assessment Report

Inspection Details

Inspector Name: Castello, Katherine **Balance Amount:** \$0.00
Placarding: Inspected & Permitted **Contact:**
Start Time: 11:00:00 AM **End Time:** 11:50:00 AM **Phone:** (412) 225-6381

Violation: **28 Walls and ceilings**

Comments: *LOW RISK*
-There are missing ceiling tiles.

Food Code Section(s): 321

Corrective Action: Repair or replace

Violation: **33 Administrative**

Comments: Failure to submit plans for facility.
Failure to provide 10 day notice for inspection.

Food Code Section(s): 330 ; 334

Corrective Action: Construction plans not submitted

Corrective Action: Construction plans not approved prior to construction

Corrective Action: Failure to provide 10-day notice for pre-operational inspection

Other Assessment observations and comments:

18 Handwashing Facilities

Sign provided at inspection.

19 Pest Management

Monitor for pest activity.

Exceptional Observations: