



Allegheny County Health Department

Food Safety Program

2121 Noblestown Rd, Suite #210,
Pittsburgh, PA 15205

Phone: 412-578-8044 Fax: 412-578-8190

Food Safety Assessment Report

Client ID: 200606120012	Client Name: Sun Penang	Inspection Date: 12/10/2018
Address: 5829 Forbes Avenue	State: PA Zip: 15217	Purpose: Reinspection
City: Pittsburgh	Inspector: Delphia, Nicholas	Permit Exp. Date: 06/30/2019
Municipality: Pittsburgh-114	Re-Inspection Date: 01/10/2019	Priority Code: H
Category Code: 201-Restaurant with Liquor		Class:
Re-Inspection: Yes - Inspector		

Food Safety Assessment Categories		Assessment Status					Violation Risk		
	◆	S	NO	NA	V		High	Med.	Low
1 Food Source/Condition									
2 Cooking Temperatures #									
3 Consumer Advisory									
4 Reheating Temperatures #									
5 Cooling Food #									
6 Hot Holding Temperatures #									
7 Cold Holding Temperatures #									
8 Facilities to Maintain Temperature					x				x
9 Date Marking of Food									
10 Probe-Type Thermometers									
11 Cross-Contamination Prevention #									
12 Employee Health #									
13 Employee Personal Hygiene #									
14 Cleaning and Sanitization #		x							
15 Water Supply									
16 Waste Water Disposal		x							
17 Plumbing		x							
18 Handwashing Facilities									
19 Pest Management #									
20 Toxic Items									
21 Certified Food Protection Manager									
22 Demonstration of Knowledge									
23 Contamination Prevention - Food, Utensils and Equipment									
24 Fabrication, Design, Installation and Maintenance					x				x
25 Toilet Room									
		0	3	0	0	2	0	0	2

General Sanitation		Assessment Status					Violation Risk		
	◆	S	NO	NA	V		High	Med.	Low
26 Garbage and Refuse									
27 Floors					x				x
28 Walls and ceilings									
29 Lighting									
30 Ventilation					x				x
31 Dressing rooms and Locker rooms									
32 General Premises									
33 Administrative		x							
		0	1	0	0	2	0	0	2
		Assessment Status					Violation Risk		
	◆	S	NO	NA	V		High	Med.	Low



Allegheny County Health Department

Food Safety Program

2121 Nobl estown Rd, Suite #210,
Pittsburgh, PA 15205

Phone: 412-578-8044 Fax: 412-578-8190

Food Safety Assessment Report

1	Indoor Occupancy 25% or 50% with proof of satisfying PA Self-ce								
1	Indoor occupancy (25%) #								
2	Table Service Only and Tables 6-Feet Apart #								
3	Closed bar seating #								
4	Face coverings Worn by staff #								
5	Table service only #								
6	Zero tobacco usage #								
7	Closed by 11:00 pm #								
		0	0	0	0	0	0	0	0
	# U.S. Centers for Disease Control and Prevention "high risk" for foodborne illness and establishment of priority of inspection	0	4	0	0	4			

◆ - Diamond Exceptional

S - Satisfactory

NO - Not Observed

NA - Not Applicable

V- Violation

Inspection Details

Inspector Name: Delphia , Nicholas

Balance Amount:

\$15.55

Placarding: Inspected & Permitted

Contact:

Start Time: 12:00:00 PM

End Time: 01:00:00 PM

Phone:

(412) 421-7600

Violation:

8 Facilities to Maintain Temperature

Comments:

LOW RISK

Merchandizer coolers remain in use for prepared and opened foods (these units are for bottled and packaged foods only).

The household refrigerator is not approved for use in a commercial kitchen.

Food Code Section(s): 303 ; 309

Violation:

24 Fabrication, Design, Installation and Maintenance

Comments:

LOW RISK

The flooring of the walk in cooler is in disrepair. The steel surfaces have all been cleaned and sanitized. However, the metal is bowing up at the seams and the damaged threshold, exposing damp/waterlogged polystyrene insulation that cannot be cleaned/sanitized.

The cooler is not being used at this time. The operator plans to have the floor replaced.

Food Code Section(s): 309

Violation:

27 Floors

Comments:

LOW RISK

Flooring remains damaged throughout the facility.

Food Code Section(s): 320

Violation:

30 Ventilation

Comments:

LOW RISK

There is no inspection tag on the pull to the ansul system:

Owner states that the fire suppression service company took the tag with them and will return later this week.

Hood cleaning scheduled for later this week.

Food Code Section(s): 323



Allegheny County Health Department

Food Safety Program

2121 Noblestown Rd, Suite #210,
Pittsburgh, PA 15205

Phone: 412-578-8044 Fax: 412-578-8190

Food Safety Assessment Report

Other Assessment observations and comments:

- 14 **Cleaning and Sanitization** **Satisfactory**
The dishwasher is sanitizing and all equipment surfaces and the floors/ walk in cooler interior have been cleaned and sanitized.
- 16 **Waste Water Disposal** **Satisfactory**
Since the last inspection, the drain line to the building has been professionally cleaned/ serviced.
Grease trap cleaning is scheduled for tomorrow, with the facility to switch to a quarterly service schedule.
- 17 **Plumbing** **Satisfactory**
Maintain records of grease trap service for future audit.
- 33 **Administrative** **Satisfactory**
Inspected and permitted. Closure placard removed. Green placard in place. Follow up inspection to take place on or after 30 days (January 10th)

NOTE:

Currently, the facility's dining room is not open to the public. Food sales are taking place in the form of bulk deliveries of boxed lunches to students at a nearby university. This is not a violation of Article III. However, the operators of this facility have a history of selling food at unsafe temperatures from unpermitted vehicles. Legitimate food deliveries should be accompanied by sales records. Failure to comply might lead to additional enforcement action

Exceptional Observations: