



Allegheny County Health Department

Food Safety Program

2121 Noblestown Rd, Suite # 210,
Pittsburgh, PA 15205

Phone: 412-578-8044 Fax: 412-578-8190

Food Safety Assessment Report

Client ID: 201907180002	Client Name: McDonald's #7683	Inspection Date: 01/31/2024
Address: 6380 Steubenville Pike	State: PA Zip: 15205	Purpose: Initial
City: Pittsburgh	Inspector: Mellinger, Joseph	Permit Exp. Date: 07/31/2024
Municipality: Robinson		Priority Code: 1
Category Code: 212-Chain Restaurant without Liquor		Class: 3
Re-Inspection: No - Inspector	Re-Inspection Date:	

Food Safety Assessment Categories		Assessment Status					Violation Risk		
	◆	S	NO	NA	V		High	Med.	Low
1 Food Source/Condition		x							
2 Cooking Temperatures #		x							
3 Consumer Advisory				x					
4 Reheating Temperatures #			x						
5 Cooling Food #				x					
6 Hot Holding Temperatures #		x							
7 Cold Holding Temperatures #		x							
8 Facilities to Maintain Temperature		x							
9 Date Marking of Food		x							
10 Probe-Type Thermometers		x							
11 Cross-Contamination Prevention #		x							
12 Employee Health #		x							
13 Employee Personal Hygiene #		x							
14 Cleaning and Sanitization #		x							
15 Water Supply					x				x
16 Waste Water Disposal		x							
17 Plumbing		x							
18 Handwashing Facilities		x							
19 Pest Management #		x							
20 Toxic Items		x							
21 Certified Food Protection Manager		x							
22 Demonstration of Knowledge		x							
23 Contamination Prevention - Food, Utensils and Equipment					x				x
24 Fabrication, Design, Installation and Maintenance		x							
25 Toilet Room		x							
		0	20	1	2	2	0	0	2

General Sanitation		Assessment Status					Violation Risk		
	◆	S	NO	NA	V		High	Med.	Low
26 Garbage and Refuse		x							
27 Floors					x				x
28 Walls and ceilings		x							
29 Lighting		x							
30 Ventilation		x							
31 Dressing rooms and Locker rooms		x							
32 General Premises		x							
33 Administrative		x							
		0	7	0	0	1	0	0	1

U.S. Centers for Disease Control and Prevention "high risk" for foodborne illness and establishment of priority of inspection.

◆ - Diamond Exceptional

S - Satisfactory NO - Not Observed NA - Not Applicable V- Violation



Allegheny County Health Department

Food Safety Program

2121 Noblestown Rd, Suite # 210,
Pittsburgh, PA 15205

Phone: 412-578-8044 Fax: 412-578-8190

Food Safety Assessment Report

Inspection Details

Inspector Name: Mellinger, Joseph

Balance Amount: \$0.00

Placarding: Inspected & Permitted

Contact: Tom Locke

Start Time: 03:00:00 PM

End Time: 04:00:00 PM

Phone: (412) 787-0880

Violation:

15 Water Supply

Comments:

LOW RISK

- Hot water turned off at hand washing sink by the front drive-thru window. Corrected.

Food Code Section(s): 321

Corrective Action:

Provide hot water to all handwashing sinks at least 85F.

Violation:

23 Contamination Prevention - Food, Utensils and Equipment

Comments:

LOW RISK

- Area fan near dish machine has dust accumulation.

Food Code Section(s): 331

Corrective Action:

Keep area fans clean to prevent contamination of food and food contact surfaces.

Violation:

27 Floors

Comments:

LOW RISK

- Floors under the dry storage shelves have grease and old food debris accumulation.

Food Code Section(s): 312

Corrective Action:

Clean and maintain

Other Assessment observations and comments:

Exceptional Observations: