



Allegheny County Health Department

Food Safety Program

3901 Penn Ave,
Pittsburgh, PA 15224

Phone: 412-578-8044 Fax: 412-578-8190

Food Safety Assessment Report

Client ID: 201609120006 **Client Name:** Cafe 33 Taiwanese Bistro
Address: 1711 Shady Avenue **Inspection Date:** 06/14/2021
City: Pittsburgh **State:** PA **Zip:** 15217 **Purpose:** Service Reque
Municipality: Pittsburgh-114 **Inspector:** Kirklin , Cooper **Permit Exp. Date:** 08/31/2024
Category Code: 211-Restaurant without Liquor **Priority Code:** H
Re- Inspection: Pending - Inspector **Re- Inspection Date:** 06/21/2021

Food Safety Assessment Categories:

		Assessment Status				Violation Risk		
	◆	S	NO	NA	V	High	Med.	Low
1	Indoor occupancy (25%)							
1	Indoor Occupancy 25% or 50% with proof of satisfying PA Self-ce							
1	Food Source/Condition							
2	Cooking Temperatures							
2	Table Service Only and Tables 6-Feet Apart							
3	Consumer Advisory							
3	Closed bar seating							
4	Face coverings Worn by staff							
4	Reheating Temperatures							
5	Table service only							
5	Cooling Food							
6	Hot Holding Temperatures							
6	Zero tobacco usage							
7	Cold Holding Temperatures				x	x		
7	Closed by 11:00 pm							
8	Facilities to Maintain Temperature							
9	Date Marking of Food							
10	Probe-Type Thermometers							
11	Cross-Contamination Prevention							
12	Employee Health							
13	Employee Personal Hygiene							
14	Cleaning and Sanitization							
15	Water Supply							
16	Waste Water Disposal							
17	Plumbing							
18	Handwashing Facilities							
19	Pest Management							
20	Toxic Items							
21	Certified Food Protection Manager							
22	Demonstration of Knowledge							
23	Contamination Prevention - Food, Utensils and Equipment							
24	Fabrication, Design, Installation and Maintenance							
25	Toilet Room							
		0	0	0	0	1	0	0

General Sanitation

		Assessment Status				Violation Risk		
	◆	S	NO	NA	V	High	Med.	Low
26	Garbage and Refuse							
27	Floors							
28	Walls and ceilings							



Allegheny County Health Department

Food Safety Program

3901 Penn Ave,
Pittsburgh, PA 15224

Phone: 412-578-8044 Fax: 412-578-8190

Food Safety Assessment Report

29	Lighting								
30	Ventilation								
31	Dressing rooms and Locker rooms								
32	General Premises								
33	Administrative								
		0	0	0	0	0	0	0	0
		0	0	0	0	1			

◆ - Diamond Exceptional S - Satisfactory NO - Not Observed NA - Not Applicable V- Violation

Inspection Details

Inspector Name: Kirklin, Cooper

Balance Amount: \$0.00

Placarding: Inspected & Permitted

Contact:

Start Time: 01:20:00 PM

End Time: 02:30:00 PM

Phone: (412) 421-2717

Violation:

7 Cold Holding Temperatures

Comments:

*HIGH RISK**

-Contents of the walk in cooler above safe temperatures following a power outage that lasted over 12 hours. Nine tubs of raw sliced chicken, a case of dry tofu, 2 tubs of sliced raw beef, 3 tubs of cooked noodles, 5 tubs of cut leafy greens found between 52 and 64 F for more than 4 hours.

Products discarded during inspection.

-Contents of the preparation coolers at the cook line above safe temperatures following the power outage. Raw shrimp, raw chicken, raw beef, tofu, egg noodles, rice noodles, cut leafy greens, cooked fritters, and other prepared foods found between 47 F and 51 F for more than 4 hours.

Products discarded during inspection.

-Vacuum packed sausage links on the counter next to the walk in cooler door measured 63 F.

Discarded during inspection.

Food Code Section(s): 303

Corrective Action: Discard or remove food from sale

Other Assessment observations and comments:

8 Facilities to Maintain Temperature

-Potentially hazardous foods found thawed in the freezer but at safe temperatures (29 F).

Recommended to discard these frozen products.

33 Administrative

Administrative conference held with the owner regarding the previous inspection from 6/3/2021. All high and medium risk violations must be resolved by the next inspection.

General Comments:

Inspection conducted in response to power outage. Power was lost on the night of 6/13/2021 and returned around 12 noon on 6/14/2021.

A reinspection will occur on or after 6/21/2021.

EH Supervisor C. Angel present during inspection.