



# Allegheny County Health Department

Food Safety Program  
 2121 Noblestown Rd, Suite #210,  
 Pittsburgh, PA 15205  
 Phone: 412-578-8044 Fax: 412-578-8190

## Food Safety Assessment Report

<b>Client ID:</b> 200702280006	<b>Client Name:</b> Subway Sandwiches & Salads #7389	<b>Inspection Date:</b> 06/15/2018
<b>Address:</b> 703 Liberty Avenue	<b>State:</b> PA <b>Zip:</b> 15222	<b>Purpose:</b> Reinspection,
<b>City:</b> Pittsburgh	<b>Inspector:</b> Matticks, John	<b>Permit Exp. Date:</b> 02/29/2024
<b>Municipality:</b> Pittsburgh-102	<b>Category Code:</b> 212-Chain Restaurant without Liquor	<b>Priority Code:</b> 1
<b>Re-Inspection:</b> Pending - Inspector	<b>Re-Inspection Date:</b>	<b>Class:</b> 3

Food Safety Assessment Categories	Assessment Status					Violation Risk		
	◆	S	NO	NA	V	High	Med.	Low
1 Food Source/Condition								
2 Cooking Temperatures #								
3 Consumer Advisory								
4 Reheating Temperatures #								
5 Cooling Food #								
6 Hot Holding Temperatures #								
7 Cold Holding Temperatures #					X			X
8 Facilities to Maintain Temperature								
9 Date Marking of Food								
10 Probe-Type Thermometers								
11 Cross-Contamination Prevention #								
12 Employee Health #								
13 Employee Personal Hygiene #								
14 Cleaning and Sanitization #								
15 Water Supply								
16 Waste Water Disposal								
17 Plumbing								
18 Handwashing Facilities								
19 Pest Management #					X	X		
20 Toxic Items					X		X	
21 Certified Food Protection Manager					X		X	
22 Demonstration of Knowledge								
23 Contamination Prevention - Food, Utensils and Equipment								
24 Fabrication, Design, Installation and Maintenance								
25 Toilet Room								
	0	0	0	0	4	1	2	1

General Sanitation	Assessment Status					Violation Risk		
	◆	S	NO	NA	V	High	Med.	Low
26 Garbage and Refuse								
27 Floors								
28 Walls and ceilings								
29 Lighting								
30 Ventilation								
31 Dressing rooms and Locker rooms								
32 General Premises								
33 Administrative								
	0	0	0	0	0	0	0	0

	Assessment Status					Violation Risk		
◆	S	NO	NA	V	High	Med.	Low	



# Allegheny County Health Department

Food Safety Program  
 2121 Nobl estown Rd, Suite #210,  
 Pittsburgh, PA 15205  
 Phone: 412-578-8044 Fax: 412-578-8190

## Food Safety Assessment Report

1	Indoor Occupancy 25% or 50% with proof of satisfying PA Self-ce								
1	Indoor occupancy (25%) #								
2	Table Service Only and Tables 6-Foot Apart #								
3	Closed bar seating #								
4	Face coverings Worn by staff #								
5	Table service only #								
6	Zero tobacco usage #								
7	Closed by 11:00 pm #								
		<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

# U.S. Centers for Disease Control and Prevention "high risk" for foodborne illness and establishment of priority of inspection

0	0	0	0	4
---	---	---	---	---

◆ - Diamond Exceptional      S - Satisfactory    NO - Not Observed    NA - Not Applicable    V- Violation

### Inspection Details

**Inspector Name:** Matticks, John      **Balance Amount:** \$0.00  
**Placarding:** Consumer Alert      **Contact:**  
**Start Time:** 12:00:00 PM      **End Time:** 01:25:00 PM      **Phone:** (412) 434-7827

**Violation:** 7 Cold Holding Temperatures

**Comments:** \*LOW RISK\*  
 - Egg patties thawing on the prep table near to the customer service counter.  
**Food Code Section(s):** 305  
**Corrective Action:** - Properly thaw foods under running water or under refrigeration.

**Violation:** 19 Pest Management

**Comments:** \*HIGH RISK\*\*\*  
 - Glue boards throughout the facility have numerous dead and live German cockroaches on them. Glue boards with live Cockroaches found underneath and behind the soda/ drink fountain, underneath the radiators at the front of the store. In the cabinet underneath the handsink, underneath the dry storage shelves and the prep table in the back dry storage area of the facility. Different life-stages of German Cockroaches observed on these boards. The date of application for some of the traps was 5/14/18. Other traps were marked with a 6/4/18 date.  
 - 3-4 live German Cockroaches in the waste receptacle in the customer area of the store.  
 - One live German Cockroach near to the glue board underneath the dry storage shelf in the back area of the facility.  
**Food Code Section(s):** 319  
**Corrective Action:** Eliminate pests by approved methods  
**Corrective Action:** Eliminate harborage area, food sources, and entry sites  
**Corrective Action:** Clean and maintain



# Allegheny County Health Department

Food Safety Program

2121 Noblestown Rd, Suite #210,

Pittsburgh, PA 15205

Phone: 412-578-8044 Fax: 412-578-8190

## Food Safety Assessment Report

**Violation:**

**20 Toxic Items**

**Comments:**

\*MEDIUM RISK\*\*

- Raid pest control foggers found in the filing cabinet (bottom-most drawer) in the back locker room area of the facility.

**Food Code Section(s):** 325

**Corrective Action:** Remove unapproved chemical from premises

**Violation:**

**21 Certified Food Protection Manager**

**Comments:**

\*MEDIUM RISK\*\*

- Facility lacks a Certified Food Safety Manager. Provide proof of certification or proof of class scheduling prior to the reinspection.

**Food Code Section(s):** 336

**Corrective Action:** Provide Certified Food Protection Manager to premises during all hours of operation

**Other Assessment observations and comments:**

**Exceptional Observations:**