



# Allegheny County Health Department

Food Safety Program  
 2121 Noblestown Rd, Suite #210,  
 Pittsburgh, PA 15205  
 Phone: 412-578-8044 Fax: 412-578-8190

## Food Safety Assessment Report

<b>Client ID:</b> 201809180002	<b>Client Name:</b> Pitt Dining / The Bridge Market
<b>Address:</b> 3810 Forbes Avenue	<b>Inspection Date:</b> 09/17/2018
<b>City:</b> Pittsburgh	<b>State:</b> PA <b>Zip:</b> 15213
<b>Municipality:</b> Pittsburgh-104	<b>Inspector:</b> Castello, Katherine
<b>Category Code:</b> 413-Hospital, Gov, University (limited)	<b>Purpose:</b> New Facility
<b>Re-Inspection:</b> No - Inspector	<b>Permit Exp. Date:</b> 09/30/2019
<b>Re-Inspection Date:</b>	<b>Priority Code:</b> 1

Food Safety Assessment Categories	Assessment Status					Violation Risk		
	◆	S	NO	NA	V	High	Med.	Low
1 Food Source/Condition								
2 Cooking Temperatures #								
3 Consumer Advisory								
4 Reheating Temperatures #								
5 Cooling Food #								
6 Hot Holding Temperatures #								
7 Cold Holding Temperatures #								
8 Facilities to Maintain Temperature								
9 Date Marking of Food								
10 Probe-Type Thermometers								
11 Cross-Contamination Prevention #								
12 Employee Health #								
13 Employee Personal Hygiene #								
14 Cleaning and Sanitization #								
15 Water Supply								
16 Waste Water Disposal								
17 Plumbing								
18 Handwashing Facilities								
19 Pest Management #								
20 Toxic Items								
21 Certified Food Protection Manager								
22 Demonstration of Knowledge								
23 Contamination Prevention - Food, Utensils and Equipment								
24 Fabrication, Design, Installation and Maintenance								
25 Toilet Room								
	0	0	0	0	0	0	0	0

General Sanitation	Assessment Status					Violation Risk		
	◆	S	NO	NA	V	High	Med.	Low
26 Garbage and Refuse								
27 Floors								
28 Walls and ceilings					x			x
29 Lighting								
30 Ventilation								
31 Dressing rooms and Locker rooms								
32 General Premises								
33 Administrative					x			
	0	0	0	0	2	0	0	1

	Assessment Status					Violation Risk		
	◆	S	NO	NA	V	High	Med.	Low
	◆							



# Allegheny County Health Department

Food Safety Program  
 2121 Nobl estown Rd, Suite #210,  
 Pittsburgh, PA 15205  
 Phone: 412-578-8044 Fax: 412-578-8190

## Food Safety Assessment Report

1	Indoor Occupancy 25% or 50% with proof of satisfying PA Self-c								
1	Indoor occupancy (25%) #								
2	Table Service Only and Tables 6-Foot Apart #								
3	Closed bar seating #								
4	Face coverings Worn by staff #								
5	Table service only #								
6	Zero tobacco usage #								
7	Closed by 11:00 pm #								
		<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>

# U.S. Centers for Disease Control and Prevention "high risk" for

0	0	0	0	0	2	0	0	0
---	---	---	---	---	---	---	---	---

◆ - Diamond Exceptional                      S - Satisfactory    NO - Not Observed    NA - Not Applicable    V- Violation

### Inspection Details

**Inspector Name:** Castello , Katherine                      **Balance Amount:** \$0.00  
**Placarding:** Inspected & Permitted                      **Contact:**  
**Start Time:** 11:00:00 AM                      **End Time:** 11:50:00 AM                      **Phone:** (412) 225-6381

**Violation:**                      **28 Walls and ceilings**  
**Comments:**                      \*LOW RISK\*  
    -There are missing ceiling tiles.

**Food Code Section(s):** 321  
**Corrective Action:** Repair or replace

**Violation:**                      **33 Administrative**  
**Comments:**                      Failure to submit plans for facility.  
    Failure to provide 10 day notice for inspection.

**Food Code Section(s):** 330 ; 334  
**Corrective Action:** Construction plans not submitted  
**Corrective Action:** Construction plans not approved prior to construction

**Corrective Action:** Failure to provide 10-day notice for pre-operational inspection

**Other Assesment observations and comments:**

**18 Handwashing Facilities**  
    Sign provided at inspection.

**19 Pest Management**  
    Monitor for pest activity.

**Exceptional Observations:**