



Allegheny County Health Department

Food Safety Program
 2121 Noblestown Rd, Suite# 210,
 Pittsburgh, PA 15205
 Phone: 412-578-8044 Fax: 412-578-8190

Food Safety Assessment Report

Client ID: 201705220009 **Client Name:** Sinful Sweets
Address: 539 Liberty Avenue **Inspection Date:** 03/24/2022
City: Pittsburgh **State:** PA **Zip:** 15222 **Purpose:** Reinspection
Municipality: Pittsburgh-102 **Inspector:** 111553 **Permit Exp. Date:** 05/31/2022
Category Code: 212-Chain Restaurant without Liquor **Priority Code:** H
Re-Inspection: Yes - Inspector **Re-Inspection Date:** 04/04/2022 **Class:**

Food Safety Assessment Categories	Assessment Status					Violation Risk		
	◆	S	NO	NA	V	High	Med.	Low
1 Food Source/Condition								
2 Cooking Temperatures #								
3 Consumer Advisory								
4 Reheating Temperatures #								
5 Cooling Food #								
6 Hot Holding Temperatures #								
7 Cold Holding Temperatures #								
8 Facilities to Maintain Temperature								
9 Date Marking of Food								
10 Probe-Type Thermometers								
11 Cross-Contamination Prevention #								
12 Employee Health #								
13 Employee Personal Hygiene #								
14 Cleaning and Sanitization #					x			x
15 Water Supply								
16 Waste Water Disposal					x			x
17 Plumbing								
18 Handwashing Facilities								
19 Pest Management #					x	x		
20 Toxic Items								
21 Certified Food Protection Manager								
22 Demonstration of Knowledge								
23 Contamination Prevention - Food, Utensils and Equipment								
24 Fabrication, Design, Installation and Maintenance								
25 Toilet Room								
	0	0	0	0	3	1	0	2

General Sanitation	Assessment Status					Violation Risk		
	◆	S	NO	NA	V	High	Med.	Low
26 Garbage and Refuse					x			x
27 Floors								
28 Walls and ceilings					x			x
29 Lighting								
30 Ventilation								
31 Dressing rooms and Locker rooms								
32 General Premises								
33 Administrative								
	0	0	0	0	2	0	0	2

U.S. Centers for Disease Control and Prevention "high risk" for foodborne illness and establishment of priority of inspection

◆ - Diamond Exceptional S - Satisfactory NO - Not Observed NA - Not Applicable V- Violation



Allegheny County Health Department

Food Safety Program
2121 Nobl estown Rd, Suite# 210,
Pittsburgh, PA 15205
Phone: 412-578-8044 Fax: 412-578-8190

Food Safety Assessment Report

Inspection Details

Inspector Name: 111553	Balance Amount: \$136.00
Placarding: Consumer Alert	Contact:
Start Time: 01:15:00 PM	End Time: 03:10:00 PM
	Phone: -

Violation: 14 Cleaning and Sanitization

Comments: *LOW RISK*
Shelving and counters are covered in dust and are not being cleaned regularly. The same with all food containers and lids, equipment, drain boards and food trays.

Food Code Section(s): 312

Corrective Action: Clean and sanitize food-contact surfaces of equipment and utensils after each use and following any interruption of operations, during which time, contamination may have occurred utilizing the following procedure:
1. Wash- hot soapy water.
2. Rinse-clear water.
3. Sanitize-approved sanitizer and water.
4. Air-dry.

Corrective Action: Clean and maintain non-food-contact surfaces of equipment

Violation: 16 Waste Water Disposal

Comments: *LOW RISK*
Water is collecting in a bus pan under the dipper well.

Food Code Section(s): 314

Corrective Action: Dispose of waste water in an approved manner

Violation: 19 Pest Management

Comments: *HIGH RISK***
Large amounts of droppings still remain throughout facility on floors, low shelving, and counters. (front counter, ware washing room/ prep kitchen, office, toilet room, and mechanical room). Repeat violation.
5 dead mice seen on sticky traps and floor.
Two nests identified at front counter and under oven in prep kitchen.

Food Code Section(s): 319

Corrective Action: Eliminate pests by approved methods

Corrective Action: Eliminate harborage area, food sources, and entry sites

Corrective Action: Clean and maintain

Corrective Action: Remove rodent droppings

Violation: 26 Garbage and Refuse

Comments: *LOW RISK*
Bags of trash are accumulating in hallway.

Food Code Section(s): 318

Corrective Action: Store garbage and refuse in watertight containers with tight-fitting lids



Allegheny County Health Department

Food Safety Program

2121 Noblestown Rd, Suite# 210,
Pittsburgh, PA 15205

Phone: 412-578-8044 Fax: 412-578-8190

Food Safety Assessment Report

Violation:

28 Walls and ceilings

Comments:

LOW RISK

Active chronic roof leak over prep kitchen. Replace tiles with water stains, if stains reappear, have ceiling serviced.

Food Code Section(s): 321

Corrective Action: Repair or replace

Other Assessment observations and comments:

Exceptional Observations: