



Allegheny County Health Department

Food Safety Program

2121 Noblestown Rd, Suite# 210,
Pittsburgh, PA 15205

Phone: 412-578-8044 Fax: 412-578-8190

Food Safety Assessment Report

Client ID: 202010080002

Client Name: Teppan BBQ

Address: 2209 Murray Avenue

City: Pittsburgh

State: PA **Zip:** 15217

Municipality: Pittsburgh-114

Inspector: 115011

Inspection Date: 10/24/2023

Purpose: Consultation

Permit Exp. Date: 10/31/2024

Category Code: 211-Restaurant without Liquor

Priority Code: H

Re-Inspection: Pending - Inspector

Re-Inspection Date:

Class: 4

Food Safety Assessment Categories		Assessment Status					Violation Risk		
	◆	S	NO	NA	V		High	Med.	Low
1 Food Source/Condition									
2 Cooking Temperatures #									
3 Consumer Advisory									
4 Reheating Temperatures #									
5 Cooling Food #									
6 Hot Holding Temperatures #									
7 Cold Holding Temperatures #									
8 Facilities to Maintain Temperature									
9 Date Marking of Food									
10 Probe-Type Thermometers									
11 Cross-Contamination Prevention #					x				x
12 Employee Health #									
13 Employee Personal Hygiene #									
14 Cleaning and Sanitization #					x	x			
15 Water Supply									
16 Waste Water Disposal									
17 Plumbing					x				x
18 Handwashing Facilities					x		x		
19 Pest Management #									
20 Toxic Items									
21 Certified Food Protection Manager					x		x		
22 Demonstration of Knowledge					x		x		
23 Contamination Prevention - Food, Utensils and Equipment					x				x
24 Fabrication, Design, Installation and Maintenance									
25 Toilet Room									
	0	0	0	0	7		1	3	3

General Sanitation		Assessment Status					Violation Risk		
	◆	S	NO	NA	V		High	Med.	Low
26 Garbage and Refuse									
27 Floors									
28 Walls and ceilings									
29 Lighting									
30 Ventilation					x				x
31 Dressing rooms and Locker rooms									
32 General Premises									
33 Administrative									
	0	0	0	0	1		0	0	1

U.S. Centers for Disease Control and Prevention "high risk" for foodborne illness and establishment of priority of inspection

◆ - Diamond Exceptional

S - Satisfactory NO - Not Observed NA - Not Applicable V- Violation



Allegheny County Health Department

Food Safety Program

2121 Noblestown Rd, Suite# 210,
Pittsburgh, PA 15205

Phone: 412-578-8044 Fax: 412-578-8190

Food Safety Assessment Report

Inspection Details

Inspector Name: 115011

Balance Amount: \$0.00

Placarding: Consumer Alert

Contact:

Start Time: 02:00:00 PM

End Time: 04:45:00 PM

Phone: (412) 557-9055

Violation:

11 Cross-Contamination Prevention

Comments:

LOW RISK

No sanitizing step after animal food preparation in the sinks that are utilized for wash, rinse and sanitizing.

Food Code Section(s): 333

Corrective Action: Clean and sanitize food-contact surfaces between foods with different final required cooking temperatures.

Corrective Action: Sanitize the sinks after food preparation.

Violation:

14 Cleaning and Sanitization

Comments:

*HIGH RISK***

-Lack of a 3-bowl sink.

-No sanitizing occurring during inspection.

-Dish machine not functional. (REPEAT VIOLATION)

Area inspector walked into the dish area and observed the employee rinsing off a colander with no wash, rinse, sanitize system in place. This is after the area inspector observed the employees rinsing prep equipment and putting it away without all the necessary steps to effectively sanitize.

Food Code Section(s): 311

Corrective Action: Clean and sanitize food-contact surfaces of equipment and utensils after each use and following any interruption of operations, during which time, contamination may have occurred utilizing the following procedure:

1. Wash- hot soapy water.
2. Rinse-clear water.
3. Sanitize-approved sanitizer and water.
4. Air-dry.

Corrective Action: Repair or maintain dishwasher to adequately sanitize.

Corrective Action: Use a solution that provides 50-100PPM of available chlorine, 12.5-25PPM of available iodine or any other approved sanitizer that provides the equivalent bactericidal effect/adjust exposure times, water temperatures and pH where necessary.

Corrective Action: Provide 3 compartment sink or approved mechanical dishwasher.

Corrective Action: Provide appropriate test strips or monitoring equipment

Corrective Action: Use proper chemical sanitizer concentration as required by manufacturer.

Corrective Action: Purchase stoppers for the two bowl sinks.



Allegheny County Health Department

Food Safety Program

2121 Noblestown Rd, Suite# 210,

Pittsburgh, PA 15205

Phone: 412-578-8044 Fax: 412-578-8190

Food Safety Assessment Report

Violation:

Comments:

17 Plumbing

LOW RISK

-No food preparation sink that is safe wasted.

-No grease trap logs or records of service.

-The mop sink faucet is constantly running. (REPEAT VIOLATION)

-Facility lacks approved plan for utilizing 2-bowl sink in lieu of 3-bowl sink for warewashing purposes.

Food Code Section(s): 321

Corrective Action: Provide an approved air gap.

Corrective Action: Repair, replace or eliminate

Corrective Action: -Retain service records for the grease trap/ interceptor.

-Submit plan for use of 2-bowl sink for warewashing.

Violation:

Comments:

18 Handwashing Facilities

*MEDIUM RISK**

REPEAT VIOLATION

The handwashing sink in the dish/ preparation area had a large pot with water and old rice in it.

No soap at the handsink on the cookline.

Food Code Section(s): 323

Corrective Action: Use hand washing sinks only for handwashing

Violation:

Comments:

21 Certified Food Protection Manager

*MEDIUM RISK**

No certified food protection manager present during the compliance check.

Food Code Section(s): 325

Violation:

Comments:

22 Demonstration of Knowledge

*MEDIUM RISK**

The employees could not demonstrate the correct wash, rinse, sanitize, and dry method for all food contact surfaces. This was after the area inspector had demonstrated to the manager the method to use until the dish machine was repaired during the previous inspection.

Food Code Section(s): 326

Corrective Action: Sanitization.

Violation:

Comments:

23 Contamination Prevention - Food, Utensils and Equipment

LOW RISK

Food preparation observed occurring in the two bowl sink (not safe wasted) that is the only option for wash, rinse and sanitize (dish machine is non functional).

Food Code Section(s): 331

Corrective Action: Provide approved food preparation sink with indirect waste



Allegheny County Health Department

Food Safety Program

2121 Noblestown Rd, Suite# 210,

Pittsburgh, PA 15205

Phone: 412-578-8044 Fax: 412-578-8190

Food Safety Assessment Report

Violation:

Comments:

30 Ventilation

LOW RISK

Facility is currently using gas powered cooking equipment that has been "red tagged". The fire suppression system has a red tag stating that it is in non-compliance.

Food Code Section(s): 311

Corrective Action:

Repair lines for the fire suppression system.

Do not use any of the equipment under the ventilation hood due to the red tag.

Other Assessment observations and comments:

Exceptional Observations: