



Allegheny County Health Department

Food Safety Program
 2121 Noblestown Rd, Suite# 210,
 Pittsburgh, PA 15205
 Phone: 412-578-8044 Fax: 412-578-8190

Food Safety Assessment Report

Client ID: 202307110006	Client Name: Fox's Pizza	Inspection Date: 09/23/2024
Address: 659 Woodward Avenue		Purpose: Reinspection
City: Mc Kees Rocks	State: PA Zip: 15136	Permit Exp. Date: 07/31/2025
Municipality: Stowe	Inspector: 116614	Priority Code: H
Category Code: 212-Chain Restaurant without Liquor		Class: 4
Re-Inspection: No Selection	Re-Inspection Date:	

Food Safety Assessment Categories	Assessment Status					Violation Risk		
	◆	S	NO	NA	V	High	Med.	Low
1 Food Source/Condition		x						
2 Cooking Temperatures #								
3 Consumer Advisory								
4 Reheating Temperatures #								
5 Cooling Food #								
6 Hot Holding Temperatures #								
7 Cold Holding Temperatures #		x						
8 Facilities to Maintain Temperature		x						
9 Date Marking of Food								
10 Probe-Type Thermometers								
11 Cross-Contamination Prevention #								
12 Employee Health #								
13 Employee Personal Hygiene #								
14 Cleaning and Sanitization #					x			x
15 Water Supply								
16 Waste Water Disposal					x		x	
17 Plumbing								
18 Handwashing Facilities		x						
19 Pest Management #		x						
20 Toxic Items								
21 Certified Food Protection Manager					x		x	
22 Demonstration of Knowledge								
23 Contamination Prevention - Food, Utensils and Equipment								
24 Fabrication, Design, Installation and Maintenance								
25 Toilet Room								
	0	5	0	0	3	0	2	1

General Sanitation	Assessment Status					Violation Risk		
	◆	S	NO	NA	V	High	Med.	Low
26 Garbage and Refuse					x			x
27 Floors					x			x
28 Walls and ceilings								
29 Lighting								
30 Ventilation		x						
31 Dressing rooms and Locker rooms								
32 General Premises					x			x
33 Administrative								
	0	1	0	0	3	0	0	3

U.S. Centers for Disease Control and Prevention "high risk" for foodborne illness and establishment of priority of inspection

◆ - Diamond Exceptional S - Satisfactory NO - Not Observed NA - Not Applicable V- Violation



Allegheny County Health Department

Food Safety Program
2121 Nobl estown Rd, Suite# 210,
Pittsburgh, PA 15205
Phone: 412-578-8044 Fax: 412-578-8190

Food Safety Assessment Report

Inspection Details

Inspector Name: 116614	Balance Amount: \$0.00
Placarding: Closure/Imminent Hazard	Contact:
Start Time: 01:15:00 PM	End Time: 03:45:00 PM
	Phone: (412) 331-3131

Violation: 14 Cleaning and Sanitization
Comments: *LOW RISK*
 -Grease receptacle is soiled with grease.
Food Code Section(s): 311

Violation: 16 Waste Water Disposal
Comments: Emergency:
 -Active sewage backup in basement of facility, backup started this morning. 100% blockage, sewage is overflowing from three different floor drains. Grease is coming out of the clean out drain. Plumber has been called and is unable to provide an ETA. Shelves containing dry and canned goods are in the affected area as well single serve articles such as pizza boxes, as well as refrigeration.
Food Code Section(s): 320 ; 331
Corrective Action: Restrict access to basement and fully disinfect affected areas in the basement. Call Food Safety Program to request a reinspection when work is complete.

Violation: 21 Certified Food Protection Manager
Comments: *MEDIUM RISK**
 -Failure of person in charge to inform the Allegheny County Health Department of a sewage backup in the basement.
Food Code Section(s): 326

Violation: 26 Garbage and Refuse
Comments: *LOW RISK*
 -Trash present on ground around dumpster. Lids open.
Food Code Section(s): 324
Corrective Action: Keep lids closed
Corrective Action: Clean ground and surrounding area

Violation: 27 Floors
Comments: *LOW RISK*
 -Base coving is deteriorated throughout facility.
Food Code Section(s): 312
Corrective Action: Seal, caulk juncture

Violation: 32 General Premises
Comments: *LOW RISK*
 -Not in use equipment such as the ice machine and non functioning chest freezer remain, as well as the two door Pepsi merchandiser that is in the hallway by the cook line. Many items from the previous operation are stored in basement.
Food Code Section(s): 315
Corrective Action: Remove miscellaneous items
Other Assesment observations and comments:



Allegheny County Health Department

Food Safety Program

2121 Noblestown Rd, Suite# 210,

Pittsburgh, PA 15205

Phone: 412-578-8044 Fax: 412-578-8190

Food Safety Assessment Report

7 Cold Holding Temperatures

Satisfactory

The True brand two door Pepsi merchandiser is no longer being used.

18 Handwashing Facilities

Satisfactory

Paper towels are available at the handwashing sink.

19 Pest Management

Satisfactory

Mouse droppings have been removed in the upstairs portion of the restaurant. Glue boards have been placed throughout the facility and pest control services have been received twice since the initial inspection.

30 Ventilation

Satisfactory

Ansul fire suppression system has been inspected.

Exceptional Observations: