



Allegheny County Health Department

Food Safety Program
 2121 Noblestown Rd, Suite# 210,
 Pittsburgh, PA 15205
 Phone: 412-578-8044 Fax: 412-578-8190

Food Safety Assessment Report

Client ID: 201507200001	Client Name: Station	Inspection Date: 08/12/2022
Address: 4744 Liberty Avenue	State: PA Zip: 15224	Purpose: Initial
City: Pittsburgh	Inspector: 112631	Permit Exp. Date: 07/31/2024
Municipality: Pittsburgh-108	Re- Inspection Date:	Priority Code: H
Category Code: 201-Restaurant with Liquor		Class: 4
Re- Inspection: Pending - Inspector		

Food Safety Assessment Categories	Assessment Status					Violation Risk		
	◆	S	NO	NA	V	High	Med.	Low
1 Food Source/Condition					x	x		
2 Cooking Temperatures #		x						
3 Consumer Advisory		x						
4 Reheating Temperatures #		x						
5 Cooling Food #					x	x		
6 Hot Holding Temperatures #		x						
7 Cold Holding Temperatures #					x	x		
8 Facilities to Maintain Temperature					x		x	
9 Date Marking of Food					x			x
10 Probe-Type Thermometers		x						
11 Cross-Contamination Prevention #		x						
12 Employee Health #		x						
13 Employee Personal Hygiene #		x						
14 Cleaning and Sanitization #					x	x		
15 Water Supply		x						
16 Waste Water Disposal		x						
17 Plumbing		x						
18 Handwashing Facilities		x						
19 Pest Management #					x			x
20 Toxic Items					x		x	
21 Certified Food Protection Manager		x						
22 Demonstration of Knowledge		x						
23 Contamination Prevention - Food, Utensils and Equipment		x						
24 Fabrication, Design, Installation and Maintenance					x			x
25 Toilet Room		x						
TOTAL	0	16	0	0	9	4	2	3

General Sanitation	Assessment Status					Violation Risk		
	◆	S	NO	NA	V	High	Med.	Low
26 Garbage and Refuse		x						
27 Floors					x			x
28 Walls and ceilings					x			x
29 Lighting		x						
30 Ventilation		x						
31 Dressing rooms and Locker rooms		x						
32 General Premises					x			x
33 Administrative		x						
TOTAL	0	5	0	0	3	0	0	3

U.S. Centers for Disease Control and Prevention "high risk" for foodborne illness and establishment of priority of inspection

◆	0	21	0	0	12
---	---	----	---	---	----

◆ - Diamond Exceptional S - Satisfactory NO - Not Observed NA - Not Applicable V- Violation



Allegheny County Health Department

Food Safety Program
2121 Nobl estown Rd, Suite# 210,
Pittsburgh, PA 15205
Phone: 412-578-8044 Fax: 412-578-8190

Food Safety Assessment Report

Inspection Details

Inspector Name: 112631	Balance Amount: \$404.00
Placarding: Consumer Alert	Contact:
Start Time: 11:45:00 AM	End Time: 03:00:00 PM
	Phone: (412) 251-0540

Violation: 1 Food Source/Condition

Comments: *HIGH RISK***
The facility is vacuum packing (Reduced Oxygen Packaging/ ROP) raw and cooked vegetables, meats and sauces. No approved Hazard Analysis Critical Control Point (HACCP) plan in place

Evidence facility is also fermenting and dehydrating without a HACCP plan

Facility has been cited for multiple years and was officially ordered to cease this practice on 2/20/20. In addition, there no evidence that any HACCP plan is being followed evident by temperature violations that were observed during inspection

No HACCP plan records on site.

Food items in
Submit currently used HACCP plan within 48 hours

Food Code Section(s): 301 ; 304 ; 329

Corrective Action: Discontinue practice. Alternative procedures discussed during inspection

Violation: 5 Cooling Food

Comments: *HIGH RISK***
Wedding soup and pork stock cooked yesterday were found at 56F today. Found in 3 gallon covered containers

No cooling charts being kept

Food Code Section(s): 304

Corrective Action: Cool food from 135° F to 70° F or below within 2 hours and from 70° F to 41° F in an additional 4 hours, total cooling time not to exceed 6 hours.

Corrective Action: Use approved means such as blast chillers, ice wands or adding ice to a condensed food to rapidly cool.

Corrective Action: Monitor cooling temperatures of prepared foods, record temperatures on charts, and retain charts for 30 days.

Violation: 7 Cold Holding Temperatures

Comments: *HIGH RISK***
Following items in walk-in cooler in basement are at 51F

- Reduced Oxygen Packaged (ROP) meats
- Cheeses
- Cooked vegetables
- Raw meats
- Sauces

Food Code Section(s): 303 ; 304

Corrective Action: Food must be held at 41° F or below



Allegheny County Health Department

Food Safety Program
2121 Nobl estown Rd, Suite# 210,
Pittsburgh, PA 15205
Phone: 412-578-8044 Fax: 412-578-8190

Food Safety Assessment Report

Violation: **8 Facilities to Maintain Temperature**

Comments:

*MEDIUM RISK**

Main walk-in cooler for basement found to have an internal air temperature of 50F. Food items inside found between 51F to 56F

Food Code Section(s): 303

Corrective Action: Provide enough conveniently located, approved, properly operating refrigeration units to assure the maintenance and cooling of foods at required temperatures.

Violation: **9 Date Marking of Food**

Comments:

LOW RISK

ROP products not given discard dates.

Food Code Section(s): 304

Corrective Action: Properly label foods with a use by date of seven days including the first day of use.

Violation: **14 Cleaning and Sanitization**

Comments:

*HIGH RISK***

Vacuum ROP machine has sticky residue inside

Yellow cutting board with deep grooves has black residue all over it

Food Code Section(s): 312

Corrective Action: Clean and sanitize food-contact surfaces of equipment and utensils after each use and following any interruption of operations, during which time, contamination may have occurred utilizing the following procedure:

1. Wash- hot soapy water.
2. Rinse-clear water.
3. Sanitize-approved sanitizer and water.
4. Air-dry.

Violation: **19 Pest Management**

Comments:

LOW RISK

Old dead mouse found on sticky trap in basement

Gap observed under kitchen door to alley

Food Code Section(s): 319

Corrective Action: Clean and maintain

Violation: **20 Toxic Items**

Comments:

MEDIUM RISK

Dichlorvos fly strip present in server area where ice machine for drinks is located. CORRECTED

Food Code Section(s): 325

Corrective Action: Remove unapproved chemical from premises

Violation: **24 Fabrication, Design, Installation and Maintenance**

Comments:

LOW RISK

Non NSF dehydrator and ice cream machine

Food Code Section(s): 309

Corrective Action: Resurface / replace

Corrective Action: Provide approved, NSF standard equipment



Allegheny County Health Department

Food Safety Program
2121 Noblestown Rd, Suite# 210,
Pittsburgh, PA 15205
Phone: 412-578-8044 Fax: 412-578-8190

Food Safety Assessment Report

Violation:

27 Floors

Comments:

LOW RISK
No base coving for prep kitchen in basement

Food Code Section(s): 320

Corrective Action: Provide base coving

Violation:

28 Walls and ceilings

Comments:

LOW RISK
Stained tile over slicer in basement prep kitchen. Evidence of plumbing leak. Investigate, eliminate and replace tile

Food Code Section(s): 321

Corrective Action: Clean and maintain

Corrective Action: Provide base coving

Violation:

32 General Premises

Comments:

LOW RISK
Unused equipment clutter in the basement

Fire Suppression system has not been inspected since 2016
LOW RISK

Food Code Section(s): 326

Corrective Action: Remove miscellaneous items

Other Assessment observations and comments:

21 Certified Food Protection Manager Satisfactory

Certified person on duty. However, person is not performing their duties as evidenced by findings of report. Recommend Head Chef/Owner become certified

33 Administrative Satisfactory

Unpaid civil penalty amount of \$2600 due on July of 2021 for repeat ROP without HACCP plan violations. Will investigate back at office regarding the status of the penalty

Operator stated he filed an appeal online. Status will be checked during business hours

Exceptional Observations: