



Allegheny County Health Department

Food Safety Program
 2121 Nobl estown Rd, Suite# 210,
 Pittsburgh, PA 15205
 Phone: 412-578-8044 Fax: 412-578-8190

Food Safety Assessment Report

Client ID: 201910250001	Client Name: Homewoods Quick Pick	Inspection Date: 11/03/2023
Address: 7201 Frankstown Avenue	State: PA Zip: 15208	Purpose: Initial, Compl
City: Pittsburgh	Inspector: 85739	Permit Exp. Date: 10/31/2024
Municipality: Pittsburgh-113	Re- Inspection Date: 11/13/2023	Priority Code: H
Category Code: 115-Packaged Food Only		Class: 2
Re- Inspection: Yes - Inspector		

Food Safety Assessment Categories	Assessment Status					Violation Risk		
	◆	S	NO	NA	V	High	Med.	Low
1 Food Source/Condition					x	x		x
2 Cooking Temperatures #				x				
3 Consumer Advisory				x				
4 Reheating Temperatures #				x				
5 Cooling Food #				x				
6 Hot Holding Temperatures #				x				
7 Cold Holding Temperatures #		x						
8 Facilities to Maintain Temperature		x						
9 Date Marking of Food		x						
10 Probe-Type Thermometers				x				
11 Cross-Contamination Prevention #				x				
12 Employee Health #		x						
13 Employee Personal Hygiene #					x		x	
14 Cleaning and Sanitization #					x	x		
15 Water Supply					x		x	
16 Waste Water Disposal					x			x
17 Plumbing		x						
18 Handwashing Facilities					x		x	
19 Pest Management #					x	x		
20 Toxic Items					x		x	
21 Certified Food Protection Manager				x				
22 Demonstration of Knowledge		x						
23 Contamination Prevention - Food, Utensils and Equipment		x						
24 Fabrication, Design, Installation and Maintenance		x						
25 Toilet Room					x			x
	0	8	0	8	9	3	4	3

General Sanitation	Assessment Status					Violation Risk		
	◆	S	NO	NA	V	High	Med.	Low
26 Garbage and Refuse					x			x
27 Floors					x			x
28 Walls and ceilings		x						
29 Lighting					x			x
30 Ventilation		x						
31 Dressing rooms and Locker rooms		x						
32 General Premises					x			x
33 Administrative					x			
	0	3	0	0	5	0	0	4

U.S. Centers for Disease Control and Prevention "high risk" for foodborne illness and establishment of priority of inspection

◆ - Diamond Exceptional

S - Satisfactory NO - Not Observed NA - Not Applicable V- Violation



Allegheny County Health Department

Food Safety Program
2121 Nobl estown Rd, Suite# 210,
Pittsburgh, PA 15205
Phone: 412-578-8044 Fax: 412-578-8190

Food Safety Assessment Report

Inspection Details

Inspector Name: 85739	Balance Amount: \$0.00
Placarding: Consumer Alert	Contact:
Start Time: 01:00:00 PM	End Time: 03:30:00 PM
	Phone: (412) 371-8257

Violation: 1 Food Source/Condition

Comments: *HIGH RISK***
There are chewed bags of popcorn and chips in the chip aisle and chewed packages of Ramen noodles.
LOW RISK
There are two half gallons and one quart of chocolate milk that are expired in the drink cooler.

Food Code Section(s): 329

Corrective Action: Discard/remove food that is not in sound condition or not from an approved source.

Violation: 13 Employee Personal Hygiene

Comments: *MEDIUM RISK**
Evidence of smoking. There are cigarette butts on the floor in the back room with the three compartment sink and in storage room next to it.

Food Code Section(s): 327

Corrective Action: Discontinue smoking or consuming food/beverages while preparing food

Violation: 14 Cleaning and Sanitization

Comments: *HIGH RISK***
There is coffee service and three compartment sink is not fully functional due to lack of hot water and missing drain pipe under left basin.
Dish detergent was not present at start of inspection, but later provided.

Food Code Section(s): 311

Corrective Action: Repair three compartment sink and restore hot water.

Violation: 15 Water Supply

Comments: *MEDIUM RISK**
There is no hot water to the facility. Temperature of hot water is 60F.

Food Code Section(s): 319

Corrective Action: Provide adequate hot(>110° F) and cold running water to the facility and fixtures where required

Violation: 16 Waste Water Disposal

Comments: *LOW RISK*
Section of drain pipe is missing under left basin of three compartment sink.

Food Code Section(s): 321

Corrective Action: Repair, replace or eliminate

Violation: 18 Handwashing Facilities

Comments: *MEDIUM RISK**
There is no soap and towels in the employee restroom.
There is coffee service and no hand sink.

Food Code Section(s): 323

Corrective Action: Properly install and locate hand washing sinks

Corrective Action: Provide soap and sanitary towels or hand drying device near sink



Allegheny County Health Department

Food Safety Program
2121 Noblestown Rd, Suite# 210,
Pittsburgh, PA 15205
Phone: 412-578-8044 Fax: 412-578-8190

Food Safety Assessment Report

Violation:

19 Pest Management

Comments:

*HIGH RISK***

One live mouse was seen in a box with bags of corn curls.
There are mouse droppings and shreds of packaging all over the cardboard flats full of chips.
There are sunflower seeds scattered around boxes of dry soup mixes.
There are mouse droppings and nesting material in the cabinets under the slushie machine.
There are mouse droppings around perimeter of store and in back room.
There is a gap under the front door. REPEAT VIOLATION

Food Code Section(s): 317

Corrective Action: Eliminate pests by approved methods

Corrective Action: Eliminate harborage area, food sources, and entry sites

Corrective Action: Remove rodent droppings

Corrective Action: Install a door sweep on front door to seal gap.

Violation:

20 Toxic Items

Comments:

*MEDIUM RISK**

Chemicals are stored next food - clorox cleanup next to coffee filters, windex next to pumpkin seeds, Flat Out next to Propel water.

Food Code Section(s): 318

Corrective Action: Store chemicals below or separate from food and food contact surfaces

Violation:

25 Toilet Room

Comments:

LOW RISK

Restroom door lacks self closer. Restroom lacks a covered waste receptacle.

Food Code Section(s): 322

Corrective Action: Provide self-closing door

Corrective Action: Provide covered refuse container

Violation:

26 Garbage and Refuse

Comments:

LOW RISK

One dumpster lid is open and there is litter on the ground around it.

Food Code Section(s): 324

Corrective Action: Keep lids closed

Corrective Action: Clean ground and surrounding area

Violation:

27 Floors

Comments:

LOW RISK

Floor is deteriorated under runners in aisle with the drink merchandisers.

Food Code Section(s): 312

Corrective Action: Repair or replace

Violation:

29 Lighting

Comments:

LOW RISK

Fluorescent light fixtures near three compartment sink are not shielded.

Food Code Section(s): 314

Corrective Action: Provide light guards/shields and end-caps



Allegheny County Health Department

Food Safety Program

2121 Noblestown Rd, Suite# 210,

Pittsburgh, PA 15205

Phone: 412-578-8044 Fax: 412-578-8190

Food Safety Assessment Report

Violation:

32 General Premises

Comments:

LOW RISK

Mop is stored with mop head on the floor.

There are stacks of milk crates and clutter in front of the three compartment sink.

Food Code Section(s): 315

Corrective Action: Store inverted or hung off of the floor to facilitate drying

Corrective Action: Remove miscellaneous items

Violation:

33 Administrative

Comments:

Posted health permit is expired.

There is no access to basement for inspection. REPEAT VIOLATION

Food Code Section(s): 302 ; 305

Corrective Action: Health permit not posted. Post valid health permit in location conspicuous to the public

Corrective Action: Provide access to basement.

Other Assessment observations and comments:

Exceptional Observations: