



Allegheny County Health Department

Food Safety Program
 2121 Noblestown Rd, Suite# 210,
 Pittsburgh, PA 15205
 Phone: 412-578-8044 Fax: 412-578-8190

Food Safety Assessment Report

Client ID: 199908020002	Client Name: Shop 'n Save	Inspection Date: 10/25/2023
Address: 450 56th Street	State: PA Zip: 15201	Purpose: Reinspection
City: Pittsburgh	Inspector: 114912	Permit Exp. Date: 07/31/2024
Municipality: Pittsburgh-110	Re-Inspection Date: 11/03/2023	Priority Code: 1
Category Code: 112-Chain Supermarket		Class: 4
Re-Inspection: Pending - Inspector		

Food Safety Assessment Categories	Assessment Status					Violation Risk		
	◆	S	NO	NA	V	High	Med.	Low
1 Food Source/Condition					x	x		
2 Cooking Temperatures #								
3 Consumer Advisory								
4 Reheating Temperatures #								
5 Cooling Food #								
6 Hot Holding Temperatures #								
7 Cold Holding Temperatures #								
8 Facilities to Maintain Temperature								
9 Date Marking of Food								
10 Probe-Type Thermometers								
11 Cross-Contamination Prevention #								
12 Employee Health #								
13 Employee Personal Hygiene #								
14 Cleaning and Sanitization #								
15 Water Supply					x			x
16 Waste Water Disposal								
17 Plumbing								
18 Handwashing Facilities								
19 Pest Management #					x	x	x	x
20 Toxic Items								
21 Certified Food Protection Manager								
22 Demonstration of Knowledge								
23 Contamination Prevention - Food, Utensils and Equipment								
24 Fabrication, Design, Installation and Maintenance								
25 Toilet Room								
	0	0	0	0	3	2	1	2

General Sanitation	Assessment Status					Violation Risk		
	◆	S	NO	NA	V	High	Med.	Low
26 Garbage and Refuse								
27 Floors								
28 Walls and ceilings					x			x
29 Lighting								
30 Ventilation								
31 Dressing rooms and Locker rooms								
32 General Premises					x			x
33 Administrative								
	0	0	0	0	2	0	0	2

U.S. Centers for Disease Control and Prevention "high risk" for foodborne illness and establishment of priority of inspection

◆ - Diamond Exceptional S - Satisfactory NO - Not Observed NA - Not Applicable V- Violation



Allegheny County Health Department

Food Safety Program
2121 Noblestown Rd, Suite# 210,
Pittsburgh, PA 15205
Phone: 412-578-8044 Fax: 412-578-8190

Food Safety Assessment Report

Inspection Details

Inspector Name: 114912	Balance Amount: \$404.00
Placarding: Consumer Alert	Contact:
Start Time: 10:45:00 AM	End Time: 02:00:00 PM
	Phone: (412) 784-8701

Violation: 1 Food Source/Condition

Comments: *HIGH RISK***
- Four Bags of flour in aisle 2 found adulterated on the shelf for sale.

Food Code Section(s): 329

Corrective Action: Discard/remove food that is not in sound condition or not from an approved source.

Violation: 15 Water Supply

Comments: *LOW RISK*
- Left hand sink in men's restroom is not functional.

3-bowl sink and hand sink in bakery have been repaired.

Food Code Section(s): 319

Corrective Action: Provide adequate hot(>110° F) and cold running water to handwashing sinks.

Violation: 19 Pest Management

Comments: *HIGH RISK***
- Freshly dead mouse on glue board behind the bread.
- Droppings around bags of flour that were chewed by pests.

*MEDIUM RISK**
- Droppings present on the shelf behind the gravy packets and canned gravy in aisle 3.
- Droppings on the shelf around the rice crackers in aisle 3.
- Droppings on the shelf around the bagged mashed potatoes in aisle 3.
- Droppings on the shelf around the candy near the beer area.
- Droppings on the shelf around the boxed cake mix in aisle 2.

LOW RISK
- Droppings on the floor under the bakery display cases.
- Droppings on the floor around the beer coolers in the beer area.
- Droppings on floor under bagged gravy in aisle 3.
- Droppings on the floor under the tortillas and rice in aisle 3.
- Old nesting material present on the floor under the tortillas in aisle 3.
- Old droppings present on the floor in the broken walk-in cooler.

Food Code Section(s): 317

Corrective Action: Eliminate pests by approved methods

Corrective Action: Eliminate harborage area, food sources, and entry sites

Corrective Action: Clean and maintain

Corrective Action: Remove rodent droppings



Allegheny County Health Department

Food Safety Program
2121 Noblestown Rd, Suite# 210,
Pittsburgh, PA 15205
Phone: 412-578-8044 Fax: 412-578-8190

Food Safety Assessment Report

Violation:

28 Walls and ceilings

Comments:

- *LOW RISK*
- No base coving in hallway leading to restrooms.
 - Stained ceiling tiles in hallway leading to restrooms.

Food Code Section(s): 312

Corrective Action: Provide smooth, durable, easily cleaned surface

Corrective Action: Repair or replace

Violation:

32 General Premises

Comments:

- *LOW RISK*
- Non-essential items remain in the broken walk-in cooler. REPEAT VIOLATION.

Food Code Section(s): 315

Corrective Action: Remove miscellaneous items

Other Assessment observations and comments:

Exceptional Observations: