



# Allegheny County Health Department

Food Safety Program

2121 Noblestown Rd, Suite# 210,  
Pittsburgh, PA 15205

Phone: 412-578-8044 Fax: 412-578-8190

## Food Safety Assessment Report

<b>Client ID:</b> 201901310001	<b>Client Name:</b> Noble Asian Grocery Store
<b>Address:</b> 2830-2832 Saw Mill Run Boulevard	<b>Inspection Date:</b> 01/11/2024
<b>City:</b> Pittsburgh	<b>Purpose:</b> Initial
<b>Municipality:</b> Whitehall	<b>Permit Exp. Date:</b> 02/28/2025
<b>Category Code:</b> 111-Supermarket	<b>Priority Code:</b> H
<b>Re-Inspection:</b> Pending - Inspector	<b>Class:</b> 3
<b>Inspector:</b> 115474	<b>Re-Inspection Date:</b>

Food Safety Assessment Categories		Assessment Status					Violation Risk		
	◆	S	NO	NA	V		High	Med.	Low
1 Food Source/Condition					x		x		
2 Cooking Temperatures #				x					
3 Consumer Advisory				x					
4 Reheating Temperatures #				x					
5 Cooling Food #				x					
6 Hot Holding Temperatures #				x					
7 Cold Holding Temperatures #		x							
8 Facilities to Maintain Temperature					x				x
9 Date Marking of Food		x							
10 Probe-Type Thermometers				x					
11 Cross-Contamination Prevention #					x		x		
12 Employee Health #		x							
13 Employee Personal Hygiene #		x							
14 Cleaning and Sanitization #					x		x		
15 Water Supply					x			x	
16 Waste Water Disposal					x			x	
17 Plumbing					x			x	x
18 Handwashing Facilities					x			x	
19 Pest Management #		x							
20 Toxic Items		x							
21 Certified Food Protection Manager				x					
22 Demonstration of Knowledge				x					
23 Contamination Prevention - Food, Utensils and Equipment					x				x
24 Fabrication, Design, Installation and Maintenance					x				x
25 Toilet Room					x				x
	0	6	0	8	11		3	4	5

General Sanitation		Assessment Status					Violation Risk		
	◆	S	NO	NA	V		High	Med.	Low
26 Garbage and Refuse		x							
27 Floors					x				x
28 Walls and ceilings					x				x
29 Lighting		x							
30 Ventilation		x							
31 Dressing rooms and Locker rooms		x							
32 General Premises		x							
33 Administrative					x				
	0	5	0	0	3		0	0	2

# U.S. Centers for Disease Control and Prevention "high risk" for foodborne illness and establishment of priority of inspection

◆ - Diamond Exceptional

S - Satisfactory NO - Not Observed NA - Not Applicable V- Violation



# Allegheny County Health Department

Food Safety Program

2121 Noblestown Rd, Suite# 210,

Pittsburgh, PA 15205

Phone: 412-578-8044 Fax: 412-578-8190

## Food Safety Assessment Report

### Inspection Details

**Inspector Name:** 115474

**Balance Amount:** \$0.00

**Placarding:** Ordered To Close

**Contact:**

**Start Time:** 11:45:00 AM

**End Time:** 02:45:00 PM

**Phone:** (412) 654-7789

**Violation:**

**1 Food Source/Condition**

**Comments:**

\*HIGH RISK\*\*\*

- Multiple (27) severely dented cans found throughout facility. Cans were removed from sales floor.
- Indoor sewer line excavations and demolition occurring in rear storage room, boxes of food still present during excavation and demolition, products partially submerged in dirt from excavation.
- Bags of bulk frozen squid, sausage, chicken feet, chicken livers also fresh beef, pork etc not labeled for retail (repeat violation).
- Bag of Kimchi found in merchandiser cooler found expired with severe black mold-like growth.

**Food Code Section(s):** 332

**Corrective Action:** Discard/remove food that is not in sound condition or not from an approved source.

**Violation:**

**8 Facilities to Maintain Temperature**

**Comments:**

\*LOW RISK\*

- Merchandiser coolers in use holding temperature control for safety foods, no temperature violations.

**Food Code Section(s):** 332

**Corrective Action:** Provide enough conveniently located, approved, properly operating refrigeration units to assure the maintenance and cooling of foods at required temperatures.

**Violation:**

**11 Cross-Contamination Prevention**

**Comments:**

\*HIGH RISK\*\*\*

- Raw pork and beef offered for customer self-service present in merchandiser cooler.

**Food Code Section(s):** 334

**Corrective Action:** Discontinue offering raw, unpackaged food of animal origin, such as beef, lamb, pork, poultry, or fish for consumer self-service.

**Violation:**

**14 Cleaning and Sanitization**

**Comments:**

\*HIGH RISK\*\*\*

- Facility lacks a three-compartment sink for washing and sanitizing food contact surfaces (repeat violation).

Plumbing work is actively in progress.

**Food Code Section(s):** 311

**Corrective Action:** Provide 3 compartment sink or approved mechanical dishwasher.

**Corrective Action:** Complete plumbing fixture repairs and upgrades.  
Have plumbing fixtures inspected by the ACHD Plumbing Program.

**Violation:**

**15 Water Supply**

**Comments:**

\*MEDIUM RISK\*\*

- No water supply currently in the facility, no restrooms or handwashing facilities.
- Plumbing work is actively in progress.

**Food Code Section(s):** 319

**Corrective Action:** Close food facility

**Corrective Action:** Complete plumbing fixture repairs and upgrades.  
Have plumbing fixtures inspected by the ACHD Plumbing Program.



# Allegheny County Health Department

Food Safety Program

2121 Noblestown Rd, Suite# 210,  
Pittsburgh, PA 15205

Phone: 412-578-8044 Fax: 412-578-8190

## Food Safety Assessment Report

### Violation:

### Comments:

### 16 Waste Water Disposal

\*MEDIUM RISK\*

- The sewer line has been excavated.
- Plumbing work is actively in progress.

**Food Code Section(s):** 320 ; 321

**Corrective Action:** Close food facility

**Corrective Action:** Complete plumbing fixture repairs and upgrades.  
Have plumbing fixtures inspected by the ACHD Plumbing Program.

### Violation:

### Comments:

### 17 Plumbing

\*LOW RISK\*

- Facility lacks a mop sink.

**Food Code Section(s):** 321

**Corrective Action:** Provide mop service sink.  
Complete plumbing construction.

### Violation:

### Comments:

### 18 Handwashing Facilities

\*MEDIUM RISK\*

- Facility lacks a dedicated hand sink (repeat violation).

**Food Code Section(s):** 323

**Corrective Action:** Properly install and locate hand washing sinks

### Violation:

### Comments:

### 23 Contamination Prevention - Food, Utensils and Equipment

\*LOW RISK\*

- Food stored on floor of walk-in cooler.
- Food stored on floor near register and freezers.
- Facility lacks a dedicated food preparation sink with indirect waste (repeat violation).

**Food Code Section(s):** 332

**Corrective Action:** Protect Food

**Corrective Action:** Provide approved food preparation sink with indirect waste

**Corrective Action:** Cover Foods

### Violation:

### Comments:

### 24 Fabrication, Design, Installation and Maintenance

\*LOW RISK\*

- Gaskets of true 2-door merchandiser cooler are in disrepair, torn.

**Food Code Section(s):** 308

**Corrective Action:** Repair / replace equipment

### Violation:

### Comments:

### 25 Toilet Room

\*LOW RISK\*

- Restroom for facility has been demolished.

**Food Code Section(s):** 321

**Corrective Action:** Provide restroom for employees.



# Allegheny County Health Department

Food Safety Program

2121 Noblestown Rd, Suite# 210,

Pittsburgh, PA 15205

Phone: 412-578-8044 Fax: 412-578-8190

## Food Safety Assessment Report

### Violation:

### 27 Floors

### Comments:

\*LOW RISK\*

- Floor tiles throughout the entire facility are cracked/broken.

**Food Code Section(s):** 312

**Corrective Action:** Provide smooth, durable, easily cleaned surface

**Corrective Action:** Repair or replace

### Violation:

### 28 Walls and ceilings

### Comments:

\*LOW RISK\*

- Ceiling tiles near the register are stained with severe water damage.

**Food Code Section(s):** 312

**Corrective Action:** Repair or replace

### Violation:

### 33 Administrative

### Comments:

- Facility is ordered to close.

**Food Code Section(s):** 302

**Corrective Action:** Do not conceal, remove or cover placard.

### Other Assessment observations and comments:

**32 General Premises**

**Satisfactory**

### Exceptional Observations: