



Allegheny County Health Department

Food Safety Program
 2121 Nobl estown Rd, Suite# 210,
 Pittsburgh, PA 15205
 Phone: 412-578-8044 Fax: 412-578-8190

Food Safety Assessment Report

Client ID: 202310050005	Client Name: Dollar General #24733	Inspection Date: 12/08/2023
Address: 1211 State Route 908	State: PA Zip: 15065	Purpose: Initial
City: Natrona Heights	Inspector: 112898	Permit Exp. Date: 10/31/2024
Municipality: Fawn		Priority Code: 1
Category Code: 114-Chain Retail/Convenience Store		Class: 2
Re-Inspection: Pending - Supervisor	Re-Inspection Date:	

Food Safety Assessment Categories	◆	Assessment Status					Violation Risk		
		S	NO	NA	V	High	Med.	Low	
1 Food Source/Condition		x							
2 Cooking Temperatures #				x					
3 Consumer Advisory				x					
4 Reheating Temperatures #				x					
5 Cooling Food #				x					
6 Hot Holding Temperatures #				x					
7 Cold Holding Temperatures #		x							
8 Facilities to Maintain Temperature		x							
9 Date Marking of Food		x							
10 Probe-Type Thermometers				x					
11 Cross-Contamination Prevention #		x							
12 Employee Health #		x							
13 Employee Personal Hygiene #		x							
14 Cleaning and Sanitization #		x							
15 Water Supply		x							
16 Waste Water Disposal					x		x		
17 Plumbing		x							
18 Handwashing Facilities		x							
19 Pest Management #		x							
20 Toxic Items		x							
21 Certified Food Protection Manager				x					
22 Demonstration of Knowledge		x							
23 Contamination Prevention - Food, Utensils and Equipment		x							
24 Fabrication, Design, Installation and Maintenance		x							
25 Toilet Room		x							
TOTAL	0	17	0	7	1	0	1	0	

General Sanitation	◆	Assessment Status					Violation Risk		
		S	NO	NA	V	High	Med.	Low	
26 Garbage and Refuse					x			x	
27 Floors		x							
28 Walls and ceilings		x							
29 Lighting		x							
30 Ventilation		x							
31 Dressing rooms and Locker rooms		x							
32 General Premises		x							
33 Administrative					x				
TOTAL	0	6	0	0	2	0	0	1	

U.S. Centers for Disease Control and Prevention "high risk" for foodborne illness and establishment of priority of inspection

0	23	0	7	3
---	----	---	---	---

◆ - Diamond Exceptional S - Satisfactory NO - Not Observed NA - Not Applicable V- Violation



Allegheny County Health Department

Food Safety Program
2121 Noblestown Rd, Suite# 210,
Pittsburgh, PA 15205
Phone: 412-578-8044 Fax: 412-578-8190

Food Safety Assessment Report

Inspection Details

Inspector Name: 112898	Balance Amount: \$0.00
Placarding: Closure/Imminent Hazard	Contact:
Start Time: 11:40:00 AM	End Time: 01:40:00 PM
	Phone: (724) 230-6824

Violation: 16 Waste Water Disposal

Comments:

EMERGENCY

-Active sewage backup in the facility. Sewage observed backing up from floor drain in women's toilet room, floor drain between toilet rooms beneath water fountains, and waste water was observed on the floor of the men's toilet room originating beneath the toilet. Floor drains next to the mop sink and in the women's toilet room appear to be full of water. A strong sewage odor accompanies the waste water emerging from floor drains.

Employee stated backups were first observed approximately one week prior occurred at floor drains throughout the store when toilets were flushed or water was run at any fixture, including the mop sink in the rear of the store.

*MEDIUM RISK**

-No operable toilets. Toilet in men's room did not flush. Toilet in women's toilet room flushed but then caused sewage to backup from multiple floor drains.

Food Code Section(s): 320

Corrective Action: Repair, replace or eliminate

Corrective Action: Dispose of waste water in an approved manner

Corrective Action: Close food facility

Corrective Action: Eliminate plumbing issues so that waste water may be disposed of without causing further backups.

Violation: 26 Garbage and Refuse

Comments:

LOW RISK

-Lid of the dumpster was found to be open.

Food Code Section(s): 324

Corrective Action: Keep lids closed

Violation: 33 Administrative

Comments:

326.7 - Failure to notify ACHD Food Safety Program of emergency situation (active sewage backup).

Food Code Section(s):

Corrective Action: Notify the Allegheny County Health Department in the event of any emergency that could compromise food safety, including sewage backups, flooding, prolonged loss of electricity, or fire.

Other Assessment observations and comments:

Exceptional Observations: